

# ELAFLEX H2+ ERV AND HOSES

The Plus for Industrial Low Pressure H2 Applications



# H2 AND H2 MIXTURES – LOW PRESSURE APPLICATIONS FOR INDUSTRIAL PROCESSES

Hydrogen (H<sub>2</sub>), whether in mixtures (e.g. with methane) or in concentrations up to 100%, plays an increasingly important role in low-pressure industrial applications and processes. In fluid systems as well as in the chemical and steel industries, the transfer of these gaseous media demands maximum safety, high reliability, and very low permeation throughout the entire supply chain. For these highly demanding applications, ELAFLEX has developed the H<sub>2</sub>+ product range, consisting of ERV H<sub>2</sub>+ rubber expansion joints and H<sub>2</sub>+ hydrogen hose assemblies available in various sizes.

## ERV-H<sub>2</sub>+ RUBBER EXPANSION JOINTS

The newly developed ERV-H<sub>2</sub>+ rubber expansion joints are suitable for transferring pure hydrogen or hydrogen/methane mixtures at any concentration. Due to their very low permeation, they can be used for any kind of piping systems in the industrial sector and for ships.

- Maximum operating pressure: 20 bar (2.0 MPa)
- Temperature range: -40 °C to +65 °C
- Electrical properties: Electrically conductive material
- Liner: Special seamless compound
- Reinforcement: PA textile cord
- Cover: Chloroprene (CR)
- Marking: ERV-H<sub>2</sub>+, DN..., PN 20, production date on grey band
- Flanges: Swivelling stainless steel, e.g. hole pattern to EN 1092-1, PN 25



Online configurator:  
[ervconfigurator.elaflex.de](http://ervconfigurator.elaflex.de)



## H<sub>2</sub>+ HYDROGEN HOSE ASSEMBLIES

The H<sub>2</sub>+ hose is typically used as a connection hose (Ω/T) and meets equipment category I ATEX 2014/34/EU requirements. Its smooth, seamless inner lining makes it suitable for hydrogen, natural gas (e.g. methane), and all concentrations of their mixtures.


- Maximum operating pressure: 60 bar (6.0 MPa) for hose sizes up to DN 38 (1 ½") and 40 bar (4.0 MPa) for hose size DN 50 (2")
- Temperature range: -40 °C to +65 °C
- With safety crimping ferrules to exceed burst pressure requirements of BP > 4 x WP and ensuring very low permeation
- Lining: Special black seamless rubber, electrically conductive, low permeation
- Reinforcements: Textile braids (SD type additionally with stainless steel helix)
- Cover: Special electrically conductive rubber, resistant to ozone, UV and ageing
- Fittings: Stainless steels, with EPDM seals
- Connections: Threaded connections and fixed or swivelling flange connections



Technical Information:  
[ELAFLEX Information 4.22](#)



Form D  
without helix



Form SD  
with stainless steel helix



# THE ELAFLEX GROUP

// Air Traffic Trade

**Aljac**

**DANTEC**

ditec

**Oasis**

**ELAFLEX**

**MannTek**

**SGB**

**REIFLEXA**



Contact data of our approximately  
150 distribution partners worldwide:

[elaflex.de/en/contact/distribution-partners](http://elaflex.de/en/contact/distribution-partners)

## ELAFLEX WORLDWIDE

<b>Air Traffic Trade AB</b> <b>Sweden</b>	Måttbandsvägen 12 18766 Täby Tel. +46 8-768 39 90 info@airtt.se airtt.se	<b>ELAFLEX FRANCE</b> SARL <b>France</b>	Aktipark 50 Rue des Chardonnerets, Lot N° 3 93290 Tremblay en France Tel. +33 1 41 84 06 22 info@elaflex.fr elaflex.fr	<b>ELAFLEX</b> Yakıt İletim Ürünleri Ltd. Şti. <b>Turkey</b>	42 Maslak Plaza Ahi Evran Street No:6 34485 Maslak - Sarıyer İstanbul, Turkey Tel. +90 212 974 1020 batuhan.kiroglu@elaflex.com elaflex.com.tr
<b>Aljac GmbH</b> <b>Germany</b>	c/o ELAFLEX HIBY GmbH & Co. KG Schnackenburgallee 121 22525 Hamburg Tel. +49 40 6908 4116 info@aljac.de aljac.de	<b>ELAFLEX ITALIA SRL</b> <b>Italy</b>	Via Industriale 28 25086 Rezzato (BS) Tel. +39 030 249 61 00 info@elaflex.it elaflex.it	<b>Mann Teknik AB</b> <b>Sweden</b>	Strandvägen 16 54231 Mariestad Tel. +46 501 39 32 00 sales@manntek.se manntek.se
<b>Aljac Fuelling</b> Components Ltd. <b>Great Britain</b>	Unit 1a, Watchmore Point Camberly, Surrey GU15 3AD Tel. +44 1932 269869 sales@aljac.com aljac.com	<b>ELAFLEX</b> Latin America S.A. <b>Argentina</b>	Talcahuano 945, Martínez (1640) Buenos Aires, Argentina Tel. +54 11 4836-3510 ventas.latinamerica@elaflex.com.ar elaflex.com.ar	<b>Mann Teknik China</b> <b>China</b>	Building C, No 505, 23rd Street, Qian Tang District, Hangzhou Tel. +86 571-87695112 info@manntek.cn manntek.cn
<b>DANTEC LTD</b> <b>Great Britain</b>	Tarran Way, Moreton, Wirral CH46 4TL Tel. +44 151 678 2222 sales@dantec.com dantec.com	<b>ELAFLEX LTD</b> <b>Great Britain</b>	Riverside House Plumpton Road Hoddesdon, Herts EN11 0PA Tel. +44 1992 45 29 50 sales@elaflex.co.uk elaflex.co.uk	<b>MannTek Couplings</b> India Pvt. Ltd. <b>India</b>	Office No. LF7A / 7B Lotus Aura, Sama -Savli Road, Vadodara - 390008, Gujarat Tel. +91 9558 825 855
<b>ditec Gruppe</b> <b>Germany</b>	An der Staustufe 6 97318 Kitzingen Tel. +49 9321 2307-0 info@ditec-adam.de ditec-adam.de	<b>ELAFLEX NV</b> <b>Belgium</b>	Merksemsesteenweg 192 2100 Deurne (Antwerp) Tel. +32 3 32 80 420 info@elaflex.be elaflex.be	<b>Oasis Engineering</b> Limited <b>New Zealand</b>	129 Birch Avenue Tauranga, 3110 Tel. +64 7 928 3808 info@oasisngv.com oasisngv.com
<b>ELAFLEX AB</b> <b>Sweden</b>	Måttbandsvägen 12 18766 Täby Tel. +46 8 980 130 info@elaflex.se elaflex.se	<b>ELAFLEX PACIFIC</b> PTY LTD <b>Australia</b>	Unit 29/58 Box Road Taren Point NSW 2229 Tel. +61 2 9525 0945 info@elaflex.com.au elaflex.com.au	<b>SGB GmbH</b> <b>Germany</b>	Hofstraße 10 57076 Siegen Tel. +49 271 48964-0 sgb@sgb.de sgb.de
<b>ELAFLEX HIBY</b> Asia-Pacific Pte. Ltd. <b>Singapore</b>	Mr. Marvin Lambert Office Singapore Tel. +65 8486 4435 marvin.lambert@elaflex.com	<b>ELAFLEX</b> Representation Office <b>China</b>	Mr. Jing Fan Room 1120, 1101 South Pudong Road, 200120 Shanghai, P.R. China Tel. +86 21 505 414 54 fan.jing@elaflex.net.cn elaflex.com		
<b>ELAFLEX</b> BRAZIL Eireli <b>Brazil</b>	Avenida Brigadeiro Luis Antonio, N° 300 8° andar sala 82 Bela vista, São Paulo-SP Brazil - CEP 01318-903 Tel. +55 11 4153-2171 vendas.brasil@elaflex.com.ar elaflex.com.ar	<b>ELAFLEX US Inc.</b> <b>USA</b>	11310 Slater Ave Fountain Valley, CA 92708 Tel. +1 888 472 7444 info@elaflexus.com elaflexus.com		

**ELAFLEX**  
Group

**ELAFLEXHIBY GmbH & Co. KG**  
Schnackenburgallee 121  
22525 Hamburg | Germany  
Tel. +49 40 540005-0  
info@elaflex.de · elaflex.com